

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Cabico, Aurora (ARCH)	CHAPTER 100.1
Address: 1721 Merkle Street, Honolulu, Hawaii 96819	Inspection Date: May 2, 2019 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Lysol toilet bowl cleaner left unsecured in cabinet under the bathroom sink in the resident's bathroom.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Lysol toilet bowl cleaner left unsecured in cabinet under the bathroom sink in the resident's bathroom.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(A) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>A plan including but not limited to sweeping, dusting, mopping, vacuuming, waxing, sanitizing, removal of odors and cleaning of windows and screens shall be made and implemented for routine periodic cleaning of the entire Type I ARCH and premises;</p> <p><u>FINDINGS</u> There were two (2) dead cockroaches with water in a container placed on the dresser in the resident's bedroom #1. The container was removed by the caregiver during inspection.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(A) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>A plan including but not limited to sweeping, dusting, mopping, vacuuming, waxing, sanitizing, removal of odors and cleaning of windows and screens shall be made and implemented for routine periodic cleaning of the entire Type I ARCH and premises;</p> <p><u>FINDINGS</u> There were two (2) dead cockroaches with water in a container placed on the dresser in the resident's bedroom #1. The container was removed by the caregiver during inspection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(A) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>A plan including but not limited to sweeping, dusting, mopping, vacuuming, waxing, sanitizing, removal of odors and cleaning of windows and screens shall be made and implemented for routine periodic cleaning of the entire Type I ARCH and premises;</p> <p><u>FINDINGS</u> There was a live cockroach approximately 2 cm in size inside the cabinet in the resident bathroom.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(A) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>A plan including but not limited to sweeping, dusting, mopping, vacuuming, waxing, sanitizing, removal of odors and cleaning of windows and screens shall be made and implemented for routine periodic cleaning of the entire Type I ARCH and premises;</p> <p><u>FINDINGS</u> There was a live cockroach approximately 2 cm in size inside the cabinet in the resident bathroom.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(D) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>All walls, ceilings, windows and fixtures shall be kept clean; and toilets and lavatories shall be cleaned and deodorized daily.</p> <p><u>FINDINGS</u> Doors for residents' bedrooms #1 and #2 had numerous holes on the side due to termite damage. Doors appeared to be hollow inside.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(D) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>All walls, ceilings, windows and fixtures shall be kept clean; and toilets and lavatories shall be cleaned and deodorized daily.</p> <p><u>FINDINGS</u> Doors for residents' bedrooms #1 and #2 had numerous holes on the side due to termite damage. Doors appeared to be hollow inside.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____